

Bid invitation

Information

Description: EMCP/1050010953/Roof

Leakages-Quarters

Bid invitation number: 6300037073

Version: 1

Bid invitation rules

Bid invitation currency: INR

Timezone: INDIA

Submission period: 22.02.2022 14:00:00

Tech Opening date: 22.02.2022 14:00:00

Created On: 08.02.2022 02:27:15

Bid invitation text:

Sub : Arresting of Roof Leakages for Employees Quarters, BEML Ltd., KGF.

Tender Documents uploaded as attachments to the Bid Invitation 6300037073.

Bidders are requested to attach only Documents towards Technical Qualifying Criteria / Pre-Qualification Details / Scanned copies of EMD paid / exemption details in the Collaboration Folder and submit the commercial details in Item Data only. Any item specific remarks / comments can be mentioned in "Bidders Remarks" column under Item Data.

Please contact BEML SRM Team for getting user ID & password / clarification during the submission of bid through SRM / guidance on submission of bids in SRM system.

Phone : (080) 22963269 / 22963141

e-mail ID : admin.srm@beml.co.in

Please contact Contract Purchase, EM Division, BEML, KGF for any clarifications on the Tender Documents.

Phone : (08153) 279365

e-mail ID : emekgf@beml.co.in

Note :

1. This is a requirement of BEML Limited, Kolar Gold Fields - 563 115.
2. Firms are requested to submit their bid.

Bid invitation

Information

Description:EMCP/1050010953/Roof

Leakages-Quarters

Bid invitation number:6300037073

Version: 1

3. Firms to quote UNIT RATE only (not extended value like unit rate x qty) against specific BOQ item and units as indicated in BOQ. Unit rate EXCLUDING GST is to be entered in the BEML SRM system, only in the 'Item Data'. Format given below is to be referred and the unit values are to be entered in the system against the respective item in the 'Item Data'.
 4. In case of any doubt regarding submitting the quote, don't assume, please contact the concerned officer as indicated in the tender and quote correctly.
 5. To get familiarize with the area of work the firm is advised to make a personal pre bid visit to BEML works, consult the concerned officer and get clarified.
 6. Bid should be for the complete scope of work specified.
 7. Selection of L1 firm will be based on the value of Total value "Sum [(QTY x Unit Rate)]".
 8. Payment Terms will be against certification of In-charge, Estate Maintenance Department, BEML Ltd., KGF (SRM code = L046). Bidders are requested to indicate / select the same while quoting the commercial bid.
 9. Please follow the instructions mentioned below for submitting Bid.
 - a) Use Internet Explorer (IE 8 and above)
 - b) Open BEML home page - <http://www.bemlindia.in>
 - c) Click on Purchase > e-Procurement (SRM)
 - d) After Logging in, you to see the Tenders available to you.
 - e) Click on "Notes and attachments" to see the details of terms & Conditions and Specification of the Item.
 10. Valid Class 3 Digital Signature and Encryption certificate is mandatory for submission of bids in SRM e-Procurement System.
 11. Bidders are requested to indicate price break-up details, if any, in "Price conditions" of the "Items".
 12. Bidders may indicate any additional details for the above requirement in the form of attachments in the "Notes and attachments".
 13. Delivery Term : FDD, BEML KGF. This is Service requirement.
 14. Validity : Bid should be valid for 90 days from the date of closing date of tender.
 15. Bidder to enclose applicable MSME, SC/ST Entrepreneur Certificate etc. in the format available in collaboration folder.
- Attachments:
- TENDER DOCUMENT

Bid invitation

Information

Description: EMCP/1050010953/Roof

Leakages-Quarters

Bid invitation number: 6300037073

Version: 1

Attachments:

CIVIL WORKS GENERAL CONDITIONS

NIT ACCEPTANCE LETTER

CHECK LIST

Digital Signature

Bid invitation details

Item	Product Price Condition	Description	Vendor product number	Delivery date/ performance period	Quantity
1		Supply & apply acrylic waterproof primer			1,100.000 M2

Item long text:

- (a) Supplying and applying of premium quality acrylic waterproofing primer @ 250 grams per square meter after diluting as per the manufacturer's recommendations. Allow 3 to 4 hours for the primer to dry completely.
- (b) Apply 2nd coat of premium quality acrylic waterproofing coating @ 350 grams per square meter using roller / brush after diluting as per the manufacturer's recommendations and simultaneously over this install 60 GSM thermally stabilized polyester reinforcement with 100mm side laps and 150mm end laps and apply additional coat premium quality acrylic waterproofing coating @ 350 grams per square meter using roller / brush. Ensure there are no wrinkles or folds on the reinforcement membrane and allow it to dry for 24 hours.
- (c) After 24 hours apply the final coat of premium quality acrylic waterproofing system @ 350 grams per square meter using roller / brush after diluting as per the manufacturer's recommendations.
- (d) All dilutions should be strictly as per the manufacturer's instructions as shown in the product catalogue.
- (e) The same system has to be carried out over the vertical areas like parapet and up stands.

Basic Price

INR