

Exhibit-A3
Approx. Volume of Business for one year
Bid Invitation No: 6300037715

Sl.No	MODEL	Status	Description	LENGTH in mm	WIDTH in mm	HEIGHT in mm	WEIGHT in kgs	TOTAL WEIGHT OF THE PACKAGE	COMBINATION TRAILERS / TRUCKS	Division	No.Of. Equipments/Year	Approx. total Distance Covered KM
1	BD 50 STD	Dismantled	BASIC DOZER WITH C FRAME	4100	2500	2060	11720	13,790 Kgs	OPEN TAURUS TRUCK	KGF	13	26000
			BLADE ASSY	3350	855		1470					
			TOOL BOX				100					
			CABIN	2290	1880	1900	500					
2	BD 50 STD	Dismantled	BASIC DOZER WITH C FRAME	4100	2500	2060	11720	13,490 Kgs	OPEN TAURUS TRUCK	KGF	10	20000
			BLADE ASSY	3350	855		1470					
			TOOL BOX				100					
			CANOPY / STD EQPT				200					
3	BD 65 STD / BD 65X	Dismantled	DOZER FITTED WITH C FRAME , MULTI SHANK RIPPER	7000	3900	3000	20000	20,100 Kgs	SEMI LOW BED.TRLR OF CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			BLADE ASSY									
			CABIN / CANOPY/STD.									
			TOOL BOX				100					
4	BD 65 STD / BD 65X	Dismantled	BASIC DOZER WITH C FRAME	4920	3040	2385	17380	19,450 Kgs	SEMI LOW BED.TRLR OF CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	40	80000
			BLADE ASSY	3970	1150		1770					
			CANOPY/STD.				200					
			TOOL BOX				100					
5	BD 65 STD / BD 65X	Dismantled	DOZER FITTED WITH C FRAME	4920	3040	2385	17380	19,450 Kgs	SEMI LOW BED.TRLR OF CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	35	70000
			BLADE ASSY	3970	1150		1770					
			CABIN	2290	1880	1900	500					
			TOOL BOX				100					
6	BD 80 STD	Dismantled	DOZER FITTED WITH RIPPER C FRAME	6415	3160	2400	24500	28,570 Kgs	TRIPLE AXLE SEMI LOW BED TRLR OF 30T CAP. /LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			BLADE ASSY.	4260	1080		3470					
			CABIN/ CANOPY/STD.	2290	1880	1900	500					
			TOOL BOX				100					
7	BD 80 STD	Assembled	DOZER FITTED WITH RIPPER C FRAME & CABIN / CANOPY	6415	3160	3300	25000	28,570 Kgs	TRIPLE AXLE LOW BED TRLR OF 30T CAP. /LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			BLADE ASSY.	4260	1080		3470					

			TOOL BOX				100		REQUIREMENT)			
8	BD 80 STD	Dismantled	BASIC DOZER WITH C FRAME	5381	3160	2400	21900	25,670 Kgs	DOUBLE AXLE SEMI LOW BED TRLR OF CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	5	10000
			BLADE ASSY.	4260	1080		3470					
			TOOL BOX				100					
			CANOPY/ STD. EQPT.				200					
9	BD 80 STD	Dismantled	BASIC DOZER WITH C FRAME	5381	3160	2400	21900	25,970 Kgs	DOUBLE AXLE SEMI LOW BED TRLR OF CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	5	10000
			BLADE ASSY	4260	1080		3470					
			CABIN	2290	1880	1900	500					
			TOOL BOX				100					
10	BD 155 STD/ BD 155X	Dismantled	BASIC DOZER	5100	3200	2995	32754	39,864 Kgs	TRIPLE AXLE SEMI LOW BED/ HIGH BED TRLR, 36T CAP. TRUCK (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	40	80000
			ST. /COAL BLADE ASSY FITTED WITH SIDE ARMS	4130	1590		6500					
			CANOPY/ ST. EQPT.				504					
			TOOL BOX				106					
11	BD 155 / BD 155X	Dismantled	BASIC DOZER	5100	3200	2995	32754	40,950 Kgs	TRIPLE AXLE SEMI LOW BED TRLR, 36T CAP. & 20 FEET TRUCK (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	30	60000
			ST. /COAL BLADE ASSY FITTED WITH SIDE ARMS	5260	1795		6500					
			TOOL BOX				106					
			CABIN	2840	2080	2460	1590					
12	BD 155 STD/BD 155X	Assembled	BASIC DOZER WITH STRIGHT BLADE, CABIN	6555	4130	3640	39114	39,220 Kgs	MULTI AXLE LOW BED OF (TO SUIT EQPT. WEIGHT RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				106					
13	BD 155 STD/BD 155X	Assembled	BASIC DOZER WITH STRIGHT BLADE AND MS RIPPER	8890	4130	3640	45929.8	46,035.80 Kgs	MULTI AXLE LOW BED (TO SUIT EQPT. WEIGHT RTO REQUIREMENT)	KGF	1	2000
			CABIN / CANOPY	2840	2080	2460	1590					
			TOOL BOX				106					
14	BD 85	Dismantled	BASIC DOZER WITH C FRAME	5731	3160	3440	24580	25,180 Kgs	TRIPLE AXLE SEMI LOW BED TRLR OF 30T CAP. /LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	15	30000
			BLADE ASSY(wt.3,470kgs)									
			CABIN / CANOPY/STD.	2290	1880	1900	500					
			TOOL BOX				100					
15	BD 355 STD/ BD 355X	Assembled	BASIC DOZER	5905	3441	3220	41594.4	51,490.40 Kgs	MULTI AXLE LOW BED OF 45T TO 60 / 75T CAP. CAP/LENGTH/WIDTH (TO	KGF	1	2000

	333A-3		ST. /COAL BLADE ASSY FITTED WITH SIDE ARMS,	4315	1875		8200		SUIT EQPT.WEIGHT RTO REQUIREMENT)			
			CABIN	2840	2080	2460	1590					
			TOOL BOX				106					
16	BD 355 STD/ BD 355X-5	Assembled	BASIC DOZER WITH GIANT RIPPER ASSY	7985	3441	3220	47583.4	57,479.00 Kgs	MULTI AXLE LOW BED OF 45T TO 60 / 75T CAP. & TRUCK OF CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			ST. /COAL BLADE ASSY FITTED WITH SIDE ARMS,	4315	1875		8200					
			CABIN / CANOPY/STD.	2840	2080	2460	1590					
			TOOL BOX				106					
17	BD 475 BULL DOZER - Dismantled	Fully Dismantled	BD 475 DOZER (BASIC)	6420	3645	4440	46544.6	101,060.40 Kgs	MULTI AXLE TRAILER FOR CHASIS// SEMI LOW BED TRAILER FOR LOOSE ITEMS// HIGH BED FOR LOOSE ITEMS (TO SUIT EQPT. WEIGHT RTO REQUIREMENT)	KGF	2	4000
			TRACK FRAME ASSY LH	4400	960	1460	9540					
			TRACK FRAME ASSY RH	4400	960	1460	9540					
			TRACK CHAIN ASSY LH	6200	710	1100	5978.4					
			TRACK CHAIN ASSY RH	6200	710	1100	5978.4					
			SEMI "U" BLADE WITH ATTACHMENT	6400	5263	2558	14511.4					
			ROPS CABIN WITH CASE	1780	1830	1800	1060					
			GAINT RIPPER				7801.6					
			TOOL BOX				106					
18	BD 14W WHEEL DOZER	Dismantled	DOZER ASSY WITH C FRAME 4 NOS.WHEEL ASSY , BLADE ASSY	6300	3150	2255	14400	15,500 Kgs	SEMI BED TRAILER (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	5	10000
			CABIN				500					
			TOOL BOX				100					
19	BD 30W WHEEL DOZER	Dismantled	WHEEL DOZER ASSY LESS	7825	3250	3640	20355	29,795 Kgs	SEMI LOW BED 40FT DOUBLE AXLE AND 1 TRUCK (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			4 NOS. WHEEL ASSY - DIA. 1958 mm X THICK 749 mm TYRE WT +RIM WT= 1335X4				5340					
			BLADE ASSY WITH SIDE ARMS	4500	1365		4000					
			TOOL BOX				100					
20	BE 200. HYD. EXCV	Assembled	BE 200 HYD EXCAVATOR CABIN	7900	2750	3345	20000	20100Kgs	DOUBLE AXLE SEMI LOW BED TRLR OF 30T CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				100					

21	BE 200. HYD. EXCV	Assembled	BE 200 HYD.EXCV.	7900	2750	3345	20000	21,100 Kgs	SEMI LOW BED DOUBLE AXLE OF 25T CAPACITY /LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				100					
			ADDITONAL BUCKET				1000					
22	BE 220 HYD. EXCV STD	Assembled	HYD.EXCV.	10000	2990	3060	22800	23,900 Kgs	SEMI LOW BED DOUBLE AXLE OF 25T CAPACITY /LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	4	8000
			TOOL BOX				100					
			ADDITONAL BUCKET				1000					
23	BE 220 HYD. EXCV STD	Assembled	HYD.EXCV	10000	2990	3060	22800	22,900 Kgs	SEMI LOW BED DOUBLE AXLE OF 25T CAPACITY /LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	4	8000
			TOOL BOX				100					
24	BE 240 / BE 220 LC HD. HYD. EXCV	Assembled	HYD.EXCV.ASSY	10000	2990	3060	24000	24,100 Kgs	TRIPLE AXLE SEMI LOW BED TRLR OF 30T CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				100					
25	BE 240 / BE 220 LC HD. HYD. EXCV	Assembled	HYD.EXCV.ASSY	10000	2990	3060	23750	24,850 Kgs	TRIPLE AXLE SEMI LOW BED TRLR OF 30T CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				100					
			ADDITIONAL BUCKET				1000					
26	BE 71 / BE 75 EXCV.	Assembled	HYD. EXCAVATOR	5850	2280	2615	7100	7,200 Kgs	OPEN TRUCK	KGF	1	2000
			TOOL BOX				100					
27	BE 300LC. HYD. EXCV	Assembled	HYD.EXCV.ASSY	10810	3180	3080	31900	32000 Kgs	TRIPLE AXLE SEMI LOW BED TRLR OF 30T CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	10	20000
			TOOL BOX				100					
28	BE 300LC. HYD. EXCV/ROCKBREAKER/GRAPPLER	Assembled	BE 300LC HYD. EXCAVATOR, CABIN, BUCKET	10810	3180	3080	31900	33000 Kgs	TRIPLE AXLE SEMI LOW BED TRLR OF 30T CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			ROCK BREAKER/ GRAPLER ATTACHMENT				1000					
			TOOL BOX				100					

29	BE 450. HYD. EXCV	Dismantled	HYD.EXCV.ASSY	5500	3490	3300	46000	46100Kgs	TRIPLE / DOUBLE AXLE SEMI LOW BED TRLR OF 30T CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				100					
30	BL 9H BACK-HOE AND LOADER	Dismantled	BL9H WHEEL LOADER ASSY WITH FRONT BUCKET/ MULTI PURPOSE BUCKET AND BACK HOE	9144	2438	3050	7680	7,780 Kgs	HIGH BED TRAILERS (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	10	20000
			CABIN	2290	1880	1900						
			TOOL BOX				100					
31	BL 9H BACK-HOE AND LOADER WITH ADDITIONAL BUCKET	Dismantled	BL9H WHEEL LOADER ASSY WITH FRONT BUCKET/ MULTIPURPOSE BUCKET AND BACK HOE	9144	2438	3050	7680	8530 Kgs	HIGH BED TRAILERS (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			CABIN	2290	1880	1900						
			ADDITIONAL BUCKET				750					
			TOOL BOX				100					
32	BL 9 LOADER	Dismantled	BL9 WHEEL LOADER ASSY WITH FRONT BUCKET	5825	2452	2900	6300	6,900 Kgs	TARUS TRUCK (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			CABIN	2290	1880	1900	500					
			TOOL BOX				100					
33	BL 10C	Assembled	SIDE DISCHARGE LOADER	5200	3000	2100	9000	9,100 Kgs	TARUS / TRUCK (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				100					
34	BL 10C	Assembled	SIDE DISCHARGE LOADER	5200	3000	2100	9000	12,100 Kgs	TARUS /TRUCK (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				100					
			FIELD SWITCH/GATE END BOX TRANSFORMER TRAILING CABLE				3000					
35	BL 14TH TYRE HANDLR	Dismantled	TYRE HANDLER WITH ATT. 4 NOS.WHEEL ASSY	8360	3160	2223	19020	20500 kgs	HIGH BED TRAILER (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	6	12000
			TOOL BOX				100					
36	BL 30 / XZ 656 LOADER WITH CABIN	Dismantled	BL30/656 WHEEL LOADER WITH WHEEL ASSY.	7820	3050	3285	19350	22,200 Kgs	HI BED TRAILER40 FT.	KGF	10	20000
			WHEEL ASSY.				2000					
			TOOL BOX AND MANUALS				50					
			CABIN	1980	1640	2000	800					
37	BL 40 LOADER WITH CABIN	Assembled	BL40 LOADER WITH WHEEL ASSY	9470	3010	3640	28800	28900Kgs	SEMI LOW BED TRAILER &TRUCK	KGF	1	2000
			BOX CONTAINING TOOLS & MANUALS				100					
38	BL 200 / XZ 636 LOADER WITH CABIN	Assembled	BL200 LOADER WITH WHEEL ASSY	6735	2454	2819	9150	10500 KG	SEMI/HIGH BED TRAILER/TAURUS	KGF	1	2000
			CABIN ASSY	1600	1308	1689	500					

			BOX CONTAINING TOOLS & MANUALS				100					
39	BP 41 PIPE LAYER	Dismantled	MAIN CHASSIS,	4890	3595	2840	27030	27,952.20 Kgs	TRIPLE AXLE SEMI LOW BED TRAILER & TRUCK (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			PIPE LAYER ATTACHMENT	5720	1290	575	816.2					
			TOOL BOX				106					
40	BP 41 PIPE LAYER	Dismantled	MAIN CHASSIS,	4890	3595	2935	27030	32,202.80 Kgs	TRIPLE AXLE SEMI LOW BED TRAILER & TRUCK (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			COUNTER WEIGHT,6 NOS EACH 585 KGS BOOM ASSY WITH HOOK				3720.6					
			CABIN	2290	1880	1900	530					
			PIPE LAYER ATTACHMENT	5720	1290	575	816.2					
			TOOL BOX				106					
41	BP 70 PIPE LAYER	Dismantled	MAIN CHASSIS,	5660	3760	3180	40280	50,159.20 Kgs	MULTI AXLE LOW BED TRAILER (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			COUNTER WEIGHT,10 NOS EACH 750 KGS BOOM ASSY WITH HOOK	1300	1000	100	7950					
			PIPE LAYER ATTACHMENT	6445	1770	660	1823.2					
			TOOL BOX				106					
42	BP 70 PIPE LAYER	Dismantled	MAIN CHASSIS,	5660	3760	3180	40280	50,689.20 Kgs	MULTI AXLE LOW BED (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			COUNTER WEIGHT,10 NOS EACH 750 KGS BOOM ASSY WITH HOOK	1300	1000	100	7950					
			PIPE LAYER ATTACHMENT	6445	1770	660	1823.2					
			CABIN	2290	1880	1900	530					
			TOOL BOX				106					
43	BE 1000M HYD. EXC BACK HOE	Dismantled	WORK EQUIPMENT ASSY:				23532	102,263.50 Kgs (Approx.)	HIGH BED TRAILER FOR ATTACHMENT	KGF	12	24000
			a) BOOM (wt.11,500 kgs)	9600	2850	1410						
			b) ARM(wt.4800 kgs)	4900	550	1500						
			c) BUCKET ASSY(wt.4000kgs)	2520	2050	1890						
			UPPER STRUCTURE + LIFTING BRACKET	6670	4000	2920	31270					
			UNDER CARRIAGE(2 UNITS)	6335	1655	1530	30104					
			OTHERS:				15794					
			a) COUNTER WEIGHT	3470	1635	775						
			b) WALKWAYS STRUCTURES									
			LIFTING BRACKET				927.5					
			TOOL BOX				106					
			CABIN				530					
			WORK EQUIPMENT ASSY: a)BOOM AND ARM ASSY	8720	900	2600	26606					
			b) BUCKET ASSY		2570	2660						
			UPPER STRUCTURE	6670	4000	2920	31270					

			FIELD SWITCH				1272					
			TRAILING CABLE AND DRUM				1340.9					
			LIFTING BRACKET				927.5					
			TOOL BOX				106					
47	BE1250 HYD . EXCAVATOR BACK HOE	Dismantled	BOOM & ARM (WITH 02 NOS CYLINDERS)	13400	480	2600	21200	123,066 Kgs	2 TRUCK 3 SEMI LOW BED TRAILER	KGF	1	2000
			BUCKET ASSY 6.1		3000	2660	8480					
			UPPER STRUCTURE (WITH LIFTING BRKT.)	6955	4000	2920	42400					
			UNDER CARRIAGE(2 UNITS)	6335	1655	1530	30104					
			COUNTER WEIGHT				19080					
			TOOL BOX				212					
			CABIN				530					
			WALKWAYS ,LADDER, HANDRAILS				1060					
48	BE 700M/E BACK HOE - Dismantled	Dismantled	WORK EQUIPMENT ASSY				16112	72,610 Kgs	SEMI LOW BED TRAILER FOR CHASIS /HIGH BED TRAILERS FOR ATTACHMENT	KGF	1	2000
			a) BOOM ASSY (wt. 7000kgs)	8665	1310	2440						
			b) ARM ASSY (wt 3300kgs)	5180	750	1250						
			c) BUCKET ASSY (wt 2200kgs)	2460	1660	1525						
			UPPER STRUCTURE	6655	3440	3580	24380					
			UNDER CARRIAGE (2 UNITS)	5820	1420	1420	20670					
			OTHERS:									
			a) COUNTER WEIGHT	3180	705	1470	10070					
			b) WALKWAYS STRUCTURES	3405	400							
			LIFTING BRACKET	2150	54.5	785	1272					
			TOOL BOX				106					
49	BE 700M/E HYD. EXE FACE SHOVEL - Dismantled	Fully Dismantled	WORK EQUIPMENT ASSY	9750	2365	2500	17702	74,200 Kgs	SEMI LOW BED TRAILER FOR CHASIS /HIGH BED TRAILERS FOR ATTACHMENT	KGF	1	2000
			UPPER STRUCTURE	5685	3180	2670	24380					
			UNDER CARRIAGE (2 UNITS)	5820	1420	1420	20670					
			OTHERS:									
			a) COUNTER WEIGHT	3180	705	1470	10070					
			b) WALKWAYS STRUCTURES	3405	400							
			LIFTING BRACKET	2150	54.5	785	1272					
			TOOL BOX				106					
50	10T GRANBY CAR	Assembled	10T GRANBY CAR	6700	2100	1600	8000	8,000 Kgs	OPEN TRUCK (TO SUIT EQPT. WEIGHT RTO REQUIREMENT)	KGF	1	2000
51	5.4T GRANBY CAR	Assembled	5.4T GRANBY CAR	400	1705	1400	3800	3,800 Kgs	CLOSED TRUCK (TO SUIT EQPT. WEIGHT RTO REQUIREMENT)	KGF	1	2000
52	BL 15 LHD	Assembled	BL 15 LHD	6500	1800	2000	8000	8,000 Kgs	OPEN TRUCK 22 FT (TO SUIT EQPT. WEIGHT RTO REQUIREMENT)	KGF	1	2000

53	C CRANE	Dismantled	ENGINE TO REAR WHEEL DRUMS	13000	2975	3580	15000 + 900	22,790 Kgs	ONE TRUCK 9 TONS , ONE SEMI LOW BED TRIPLE AXLE TRAILER 42 FT AS PER RTO REQ.	KGF	1	2000
			BOOM	6480	1500	520	2000 + 120					
			CARRIAGE WITH HOOK	6580	2720	960	3000 +180					
			WHEEL WITH RIM (EACH)	2000	800	2000	1500					
			(TOTAL 04 NOS WHEEL)									
			TOOL BOX				200					
54	BP 100 PIPE LAYER	Dismantled	MAIN CHASSIS,	5917	4931	3965	43768	62106 Kgs	MULTI AXLE LOW BED and 1 HIGH BED AS PER RTO REQUIREMENT	KGF	1	2000
			COUNTER WEIGHT,10 NOS EACH 960 KGS BOOM ASSY WITH HOOK,CABIN, PIPE ATTACHMENT AND TOOL BOX	9231	1860	2460	18232					
			TOOL BOX				106					
55	BE 1800 ELE. EXC FACE SHOVEL	Dismantled	BOOM, &ARM (INCL.OF ARM CYL. LINK, BUC.CYL LH & RH)	10100	2220	3100	26294.36	183227.02 Kgs	TRIPLE AXLE 4 SEMI and 2 HIGH BED TRAILER (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
			BUCKET ASSY (INCL.OF BUCKET,BOTTOM DUMP CYL. LH & RH)	3110	3190	3030	14240.04					
			UPPER STRUCTURE	8729	4500	3300	42897.34					
			(INCL.OF REV. FRAME,SWING MACHINERY,HIGH RISE BOX,HYD TANK ELECTRIC MOTOR,PTO,HYD GEAR PUMP,OPR.SEAT, PIPING ASSY, COOLING ASSY ETC)									
			CENTRE FRAME (INC.OF CENTRE FRAME, SWING CIRCLE, SWIVEL JNT.	3330	3520	2050	17904.46					
			ACCUMULATOR UNDER CARRIAGE LH	7340	1930	1890	25652					
			UNDER CARRIAGE RH	7340	1930	1890	25652					
			OPERATOR CABIN	2100	1600	2580	964.6					
			COUNTER WEIGHT	4910	710	2295	22101					
			Electrical Cable Roll				2500					
			LIFTING BRACKET				927.5					
			BOOM CYL.LH				1993.86					
			BOOM CYL.RH				1993.86					
			TOOL BOX				106					
56	BD 355 STD/ BD 355X	Dismantled	BASIC DOZER	5905	3441	3220	41594.4	51,490.40 Kgs	MULTI AXLE SEMI LOW BED OF 45T AND 1 TRUCK, LENGTH/WIDTH/HEIGHT (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	55	110000
			ST. /COAL BLADE ASSY AND SIDE ARMS,	4315	1875		8200					
			CABIN	2840	2080	2460	1590					
			TOOL BOX				106					
57	BD 50 HST	Assembled	DOZER WITH BLADE ASSY	4400	2750	1000	10000	10,100 Kgs	TRUCK (AS PER RTO REQUIREMENT)	KGF	1	2000

			TOOL BOX				100		REQUIREMENT)			
58	2.0 Cu M GB Car	Assembled	2.0 Cu M GB Car	2972	1428	1455	2900	3000 Kgs	TRUCK (AS PER RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				100					
59	7.5 T GB Car	Assembled	7.5 T GB Car	5025	1900	1416	5421	5521 Kgs	TRUCK (AS PER RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				100					
60	4 Ton Non FLP Loco	Assembled	4 Ton Non FLP Loco	3946	1267	1760	3050	3150 Kgs	TRUCK (AS PER RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				100					
61	4 Ton FLP Loco	Assembled	4 Ton FLP Loco	3535	1015	1209	6000	6100 Kgs	TRUCK (AS PER RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				100					
62	12 Ton FLP Loco	Assembled	12 Ton FLP Loco	5640	1220	1824	12000	12100 Kgs	TRUCK (AS PER RTO REQUIREMENT)	KGF	1	2000
			TOOL BOX				100					
63	T-72 HULL	Assembled	FULL EQPT.	8000	3200	1100	14,000	-	SEMILOW BED TRAILER / LOW BED TRAILER	KGF	1	2000
64	ARRV-2	Assembled	FULL EQPT.	11000	3690	3290	65,000	-	Multi Axle trailer carrying capacity 65 ton- Semi Low bed	KGF	1	2000
65	70 Ton trailer-1	Assembled	70 T TRAILER	15295	3840	4425	25,000	-	LOW BED TRAILER	PUNE	1	2000
66	SARVATRA-BASIS VEHICLE	Assembled	SARVATRA-BASIS VEHICLE	11130 ± 30	3130 ± 25	3215 ± 25	23500	-	LOW BED TRIPLE AXLE 40 FT TRAILER		1	2000
67	ARV WZT3	Assembled	ARV WZT3	8500	3600	2700	42000 Kgs	-	Multi Axle trailer carrying capacity 45 ton-LOW BED TRAILER	KGF	1	2000
68	MSCPv (Mobile Standby	Assembled	MSCPv (Mobile Standby Command Post Vehicle)	8000	2800	3200	18000 Kgs	-	SEMI LOW BED TRAILER	KGF	1	2000
69	TWMP-T-90-	Assembled	TWMP-T-90	3750	2000	1500	1500 Kgs	-	CLOSED TRUCK (TO SUIT EQPT. WEIGHT RTO REQUIREMENT)	KGF	250	500000
70	50 Ton Trailer-	Assembled	50 Ton Trailer	14000	3420	2500	20000 Kgs	-	50 ft length & 12 ft width trailer - SEMI LOW BED TRAILER	KGF	145	290000
71	70 Ton Trailer	Assembled	70 Ton Trailer	15295	3840	4425	25000 Kgs	-	50 ft length & 12 ft width trailer - SEMI LOW BED TRAILER	KGF	1	2000
72	BE 210 HYD. EXCV	Assembled	HYD.EXCV	9610	2880	3375	21000 Kgs	-	SEMI LOW BED TRAILER	KGF	1	2000
73	BE220G - 40ft ground reach	Dismantled	Basic eqpt with boom	8840	2990	3060	23100	-	SEMI LOW BED DOUBLE AXLE OF 25T CAPACITY /LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
74	BE220G - 60ft ground reach	Dismantled	Basic eqpt with boom	12330	2990	3060	23800	-	SEMI LOW BED DOUBLE AXLE OF 25T CAPACITY /LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000

75	BE220G with Rock breaker (additional bucket)	Assembled	Basic eqpt with Rock Breacker	10000	2990	3200	24600	-	TRIPLE AXLE SEMI LOW BED TRLR OF 30T CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
76	BD50 PAT-10	ASSEMBLED	BD50 PAT DOZER	5750	3350	3100	14200	-	HI/SEMI LOW BED.TRLR OF CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	10	20000
77	BD65 PAT	Assembled	DOZER FITTED WITH C FRAME , MULTI SHANK RIPPER	7000	3900	3000	21000 Kgs	-	SEMI LOW BED.TRLR OF CAP/LENGTH/WIDTH (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
78	BL11C	ASSEMBLED	BL11C- LHSDL	6100	1850	1500	10100	-	TARUS 22 FEET LENGTH TRUCK (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	KGF	1	2000
79	BD50	Assembled	Complete Eqpt with cabin / canopy & Tool box	4700	3350	2870	13790	13,790 Kgs	SEMI LOW BED TRAILER	KGF	1	2000
80	BD 65 STD / BD 65X	Assembled	Complete Eqpt with cabin / canopy & Tool box	4920	3040	2385	17380	19,750 Kgs	SEMI LOW BED TRAILER	KGF	1	2000
81	BD85	Assembled	Complete eqpt with Cabin/ canopy & Tool box	5915	3710	3308	25180	25180		KGF	1	2000
82	MBPV 4X4	Assembled	MBPV	6550	2750	3300	13000		SEMI LOW BED TRAILER	KGF	1	2000
83	BE1800 D	Dismantled	BOOM, &ARM (INCL.OF ARM CYL. LINK, BUC.CYL LH & RH)	10100	2220	3100		190000kgs	4 SEMI LOW BED TRAILER AND 2 HIGH BED TRAILER	KGF	1	2000
84	BL40	Assembled		9470	3510	4090		28000 Kgs	LOW BED TRAILER	KGF	1	2000
85	TWMP-ARJUN			25000	2100	900		1000 KG	TRUCK	KGF	1	2000
86	BL40TH	Assembled		11000	4500	4090		30000 kg	LOW BED TRAILER	KGF	1	2000
87	BD46W	Assembled		9100	4800	4130		38700 kg	LOW BED TRAILER	KGF	1	2000
88	5.4T GB	Assembled		400	1705	1400		3800	TRUCK	KGF	16	32000
89	ATT / BA-10 with Cabin Mtd	Assembled	FULL EQUIPMENT	5718	2375	1900	11160	11160 Kgs	OPEN TORUS TRUCK	MYSORE	8	25600
90	ATT / BA-10 with Cabin Mtd	Assembled	FULL EQUIPMENT	5718 *2	2375*2	1900*2	11160	22320Kgs (11160Kgs * 2)	HIGH BED TRIPLE AXLE TRAILER 40 FT	MYSORE	1	2400
91	ATT / BA-18	Assembled	FULL EQUIPMENT	6119	2500	1988	18000	18000 Kgs	HIGH BED TRAILER	MYSORE	1	2400
92	ATT / BA-28	Assembled	FULL EQUIPMENT	7282	2800	2567	28000	28000 Kgs	HIGH BED TRAILER	MYSORE	1	2400
93	G10-T / ATT / BA-10	Assembled	FULL EQUIPMENT	4360	2375	2110	10600	10,600 Kgs	OPEN TORUS TRUCK	MYSORE	1	2400
94	GPU BA10 G40	Assembled	FULL EQUIPMENT	4905	2375	2100	10000	10000 Kgs	OPEN TORUS TRUCK	MYSORE	1	2400
95	BG 605 MOTOR GRADER	Dismantled	BG 605 I Grader- Std Eqpt With Canopy/Cabin/with Aecessaries	8415	2500	3200	14650	14650 Kgs	ONE SEMI LOW BED TRAILER/ HIGH BED TRAILERS	MYSORE	60	144000
96	BG 825 MOTOR GRADER	Dismantled	STD. EQPT. (LESS TYRES) + CABIN + CABIN GUARD	10210	2792	2660	25000	28200 Kgs	SEMI LOW BED TRIPLE AXLE TRAILER 40 FT	MYSORE	35	75250
			TYRES					3200 kgs	Truck			
97	BG 825 MOTOR GRADER	Dismantled	STD. EQPT. (LESS TYRES) + CABIN + RIPPER+ CABIN GUARD	10210 + 1800	2792	2660	26000	29200 Kgs	SEMI LOW BED TRIPLE AXLE TRAILER 40 FT	MYSORE	1	2150
			TYRES					3200 kgs	Truck			
98	BHEEMA 1000 WEAPON LOADER	Assembled	FULL EQUIPMENT	2970	1800	1240	1275	1,275 Kgs	TRUCK	MYSORE	1	2000

99	BH35/BH 35-2 DUMPER	Dismantled	FRAME FITTED WITH CABIN + BODY + TYRES	6400 + 7200	3950	3400	29000	29,000 Kgs	SEMI LOW BED TRIPLE AXLE TRAILER 40 FT	MYSORE	10	20000
100	BH35/BH 35-2 DUMPER	Assembled	FULL EQPT LESS TYRES.	8100	3950	3600	29000	29,000 Kgs	MULTI AXLE LOW BED TRAILER LENGTH 40 FT	MYSORE	1	2000
101	BH 40 DUMPER	Dismantled	FRAME WITH CABIN + BODY +TYRES	6200 + 7500	4200	3450	32500	32,500 Kgs	SEMI LOW BED DOUBLE AXLE TRAILER 40 FT	MYSORE	1	2000
102	BH 40 DUMPER	Assembled	FULL EQPT + TYRES.	7800	4200	3750	32500	32,500 Kgs	MULTI AXLE LOW BED TRAILER LENGTH 40 FT	MYSORE	1	2000
103	BH 50M/60M DUMPER	Dismantled	FRAME + CABIN	7500	4400	2100	26000	46,000 Kgs	SEMI LOW BED TRIPLE AXLE 40 FT TRAILER	MYSORE	1	2000
			BODY + TYRE ASSYS + CASES	8700	4650	2700	20000		SEMI LOW BED TRIPLE AXLE 40 FT TRAILER	MYSORE		
104	BH 50M/60M DUMPER	Assembled	FULL EQPT + TYRES	9700	4650	4150	46000	46,000 Kgs	MULTI AXLE LOW BED TRAILER LENGTH 40 FT	MYSORE	145	290000
105	BH 85-1 DUMPER	Dismantled (Level 2)	BODY (FULLY WELDED) + TYRES +CASE CONTAINING BODY ITEMS.	8650	5268	3043	19500	59,400 Kgs	SEMI LOW BED TRIPLE AXLE TRAILER 40 FT	MYSORE	1	2000
			FRAME + CABIN + RH PLATFORM	7800	5100	2500	23900		SEMI LOW BED TRIPLE AXLE TRAILER 40 FT			
			FINAL DRIVE AND LOOSE STRUCTURES				16000		TORUS TRUCK 24 FT LENGTH			
106	BH 85-1 DUMPER	Dismantled (Level 1)	FRAME WITH CABIN & FINAL DRIVE	7800	5100	3900	39900	59,400 Kgs	LOW BED TRAILER	MYSORE	1	2000
			BODY + TYRE & LOOSE ITEMS	8650	5268	3043	19500		SEMI LOW BED TRAILER			
107	BH 100 DUMPER	Dismantled (Level 2)	BODY (IN THREE PIECES) + TYRES +CASE CONTAINING BODY ITEMS.	8000	2892	3048	26500	76,500 Kgs	SEMI LOW BED MULTI AXLE TRAILER 40 FT	MYSORE	1	2400
			FRAME WITH REAR AXLE & FRONT AXLES + CABIN +RH PLATFORM	8200	5100	2500	50000		SEMI LOW BED TRIPLE AXLE TRAILER 40 FT			
108	BH 100 DUMPER	Dismantled (Level 2)	BODY (FULLY WELDED) + TYRES +CASE CONTAINING BODY ITEMS.	8000	5784	3048	26500	76,500 Kgs	SEMI LOW BED MULTI AXLE TRAILER 40 FT	MYSORE	1	2400
			FRAME WITH REAR AXLE & FRONT AXLES + CABIN +RH PLATFORM	8200	5100	2500	50000		SEMI LOW BED TRIPLE AXLE TRAILER 40 FT			
109	BH 100 DUMPER	Dismantled (Level 3)	BODY (IN THREE PIECES) + TYRES +CASE CONTAINING BODY ITEMS.	8000	2892	3048	26500	76,500 Kgs	SEMI LOW BED TRIPLE AXLE TRAILER 40 FT	MYSORE	1	2400
			FRAME + CABIN + RH PLATFORM + FRONT AXLE (ALL Dismantled)	8200	5100	2500	33000		SEMI LOW BED TRIPLE AXLE TRAILER 40 FT			
			FINAL DRIVE AND LOOSE STRUCTURES				17000		TORUS TRUCK 22 FT LENGTH			
110	BH 100 DUMPER	Dismantled (Level 3)	BODY (FULLY WELDED) + TYRES +CASE CONTAINING BODY ITEMS.	8675	5784	3048	26500	76,500 Kgs	SEMI LOW BED TRIPLE AXLE TRAILER 40 FT	MYSORE	1	2400
			FRAME + CABIN + RH PLATFORM + FRONT AXLE (ALL Dismantled)	8200	5100	2500	33000		SEMI LOW BED TRIPLE AXLE TRAILER 40 FT			
			FINAL DRIVE AND LOOSE STRUCTURES	-	-	-	17000		TORUS TRUCK 22 FT LENGTH			
111	BH 100 DUMPER	Dismantled (Level 1)	FRAME WITH CABIN & FINAL DRIVE	8200	5400	4000	50000	76,500 Kgs	MULTI AXLE LOW BED TRAILER	MYSORE	10	24000
			Fully welded Body + Tyres & Cat walk	8675	5784	3048	26500		Semilow triple axle 40ft			
112	BH 120E DUMPER	Dismantled	BODY (IN THREE PIECES)	8650 + 4000	2900	2600	21300	84,300 Kgs	SEMI LOW BED TRIPLE AXLE TRAILER 40 FT	MYSORE	1	2000
			FRAME + FUEL TANK	7900	3925	2800	29000		SEMI LOW BED TRIPLE AXLE TRAILER 40 FT			
			TYRE ASSY. (WITH 2NOS. FRONT SPINDLES) CONTROL PANEL	4800	2400	2000	15000		ONE NO. HIGH BED 40 FT TRAILER			

			2 NOS WHEEL MOTORS, CABIN ASSY. & DISMANTED ITEMS, FILTER ETC.,				19000		TWO NOS. OF 22 FT EACH CLOSED CONTAINER LOADED ON HIGH BED 40 FT TRAILER			
113	BH 150E DUMPER	Dismantled (Note: Container Trailer is required for Wheel Motors , Control Panels and other sheet metals , which are required to be protected from the weather conditions)	Body L H + ROPS Suppt str with LH Fender + Front axle assy LH & RH + Exhuast pipes+ cabin support structures Lh&RH+Bumper LH & RH + wheel spacers	9144	3658	3658	23,000	23,000	40' length Semi Low bed Triple axle Trailer	MYSORE	1	2000
			Frame fitted with Engine , Radiator , Alternator , Frt Suspension , Rr suspension , Rear Axle center case , Hydraulic Tank , 2 nos Hoist Cylinders + Exhaust Tubes + Battery box with Battery + Engine cooling pipes + Mud Flap structure + Linkage rod+ wooden cases containing dismantled items	11582	4877	3353	50,000	50,000	Low bed Double crown 16 Wheeler Floating axle with 40 Feet flatter length Trailer			
			6 nos New Tyres + Cabin assy + Fuel tank assy	11582	4877	3658	26,000	26,000	40' length Semi-low Bed Triple axle Trailer			
			wheel Motors (LH & RH) + Grid Box+ Control panel+ GE control Cabinet	9144	3658	3048	30,000	30,000	40' length High bed Triple Axle container with opening at the Top to faciliatate loading and to be covered with water proof Tarpulins after loading			
			Wing & centre deck str + Deck str LH with hand Rails + Center suppt str with hand rails + Center deck str + Canopy str + Stair ways + ladder + Rock ejectors + Wheel motor end covers (2 nos) in a box	7620	3658	2743	18,000	18,000	40' length High bed Triple axle Trailer			
			Body R H + ROPS Suppt str with RH Fender + Front axle assy RH + Air duct assy + Mud Flap Str + Wheel spacers - 2 nos	9144	3658	3658	15,000	15,000	40' length Semi Low bed Triple axle Trailer			
114	WS28/WS 28-2 Water Sprinkler	Dismantled (Level 2)	FRAME + WATER TANK Disassembled Condition	6400 + 5200	4300	3400	22700	26,000 Kgs	SEMI LOW BED TRIPLE AXLE 40 FT TRAILER	MYSORE	35	84000
			TYRES					3200 kgs	Truck			
115	WS28/WS 28-2 Water Sprinkler	Dismantled (Level 1)	EQPT. IN FULLY Assembled CONDITION	7700	4500	4028	22700	26,000 Kgs	MULTI AXLE LOW BED TRAILER LENGTH 40 FT	MYSORE	1	2400
			TYRES					3200 kgs	Truck			

116	BWS 70 Water Sprinkler	Dismantled (Level 2)	FRAME WITH REAR AXLE & FRONT AXLES + CABIN +RH PLATFORM	7800	5100	2500	43000	76, 300 Kgs	SEMI LOW BED TRIPLE AXLE 40 FT LENGTH	MYSORE	1	2400
			Tank + Dismantled Plumbing Items + Tooling items box	6700	5200	3770	24000		SEMI LOW BED TRIPLE AXLE 40 FT LENGTH			
			Tyres				9300		TRUCK			
117	BWS 70 Water Sprinkler	Dismantled (Level 3)	Frame + Cabin	7800	5100	2500	28400	76, 300 Kgs	SEMI LOW BED TRIPLE AXLE 40 FT LENGTH	MYSORE	1	2400
			Tank + Dismantled Plumbing Items + Tooling items box	6700	5200	3770	24000		SEMI LOW BED TRIPLE AXLE 40 FT LENGTH			
			Tyres				9300		TRUCK			
			Final Drive & Loose items				14600		TAURUS TYPE TRUCK 24 FT LENGTH			
118	BWS 70 Water Sprinkler	Dismantled (Level 1)	Frame with Cabin and Final Drive	7800	5100	3900	43000	76, 300 Kgs	LOW BED	MYSORE	9	21600
			Tank + Dismantled Plumbing Items + Tooling items box	6700	5200	3770	24000		LOW BED			
			Tyres				9300		TRUCK			
119	BMC 16 Mine cruiser	Assembled	Full Eqpt	6900	2500	2200	8000	8000 Kgs	High Bed Trailer	MYSORE	1	2000
120	BG 405 A Motor Grader	Assembled/Dismantled	Std Eqpt + Cabin	7620	2200	3510	12,000	12,000 Kgs	SEMI LOW BED TRAILER 40 FT	MYSORE	3	6000
121	BH 205 E Electric Rear Dumper	Dismantled	Body-LH + ROPS Support Str with LH Fender + Front Axle Assembly LH + Canopy Side Structure + Wooden case containing Body Structure items + Wooden case containing Air Duct Tubes + Wooden case containing Fasteners	9144	3658	3658	23,000	162 Ton Note: Container Trailer is required for Wheel Motors , Control Panels and other sheet metals , which are required to be	40' length Semi Low Bed Triple Axle Trailer	MYSORE	1	2400
			Frame + Engine + Radiator + Alternator + Front Suspension + Rear Suspension + Rear Axle Center case + Hydraulic Tank + 2 Nos. Hoist Cylinders + Exhaust Tubes + Battery Box with Battery + Engine Cooling Pipes + Mudflap Structure + Linkage Rod	11582	4877	3353	50,000		Low Bed Double Crown 16 Wheeler Floating Axle with 40' flatter length Trailer			
			LH Wheel Motor + RH Wheel Motor + Grid Box + Fuel Tank Assembly + GE Control Cabinet	9144	3658	3048	31,000		40' length High bed Triple Axle container with opening at the Top to facilitate loading and to be covered with water proof Tarpulins after loading			
			6 Nos. Tyre Assembly (Dia 32 feet x Width 4 feet) + Cabin Assy	3658	3658	2743	31,000		40' length High Bed Triple Axle Trailer			

			Wing & Centre Deck Structure + Deck Structure-LH with Handrails + Center Support Structure with Handrails + Center Deck Structure + Canopy Structure + Stairways + Ladders + Rock Ejectors + 2 Nos. Wheel Motor end covers in a box	7620	3658	2743	15,000		40' length High Bed Triple Axle Trailer			
			Body-RH + ROPS Support Structure with RH Fender + Front Axle Assembly-RH + Air Duct Assembly + Mudflap Structure + 2 Nos. Wheel Spacers	9144	3658	3658	12,000		40' length Semi Low Bed Triple Axle Trailer			
			Total Weight (Approximate)					1,62,000	162 Tonnes			
122	BG 605 MOTOR GRADER	Assembled	Std Eqpt with Cabin (Assembled with Roof Top A.C) fitted with Scarifier & Dozer attachment	8415	2500	3660	14700	14700	SEMI LOW BED 40 FT LENGTH TRAILER	MYSORE	10	24000
123	TATRA TRUCK 4x4	Assembled	FULL EQUIPMENT	7380	2550	3050	9300	9,300 Kgs	ONE NO. SEMI LOW BED TRIPLE AXLE 40 FT TRAILER	Palakkad/Bangalore/Mysore/ KGF	1	2600
124	TATRA TRUCK 6x6	Assembled	FULL EQUIPMENT	8350	2500	3210	15000	15,000 Kgs	ONE NO. SEMI LOW BED TRIPLE AXLE 40 FT TRAILER	Palakkad/Bangalore/Mysore/ KGF	12	24000
125	TATRA 6x6	Assembled	TATRA 6 X 6	8450	2500	3730	21,500 (with platform)		SEMILOW BED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	24	48000
126	TATRA TRUCK 8x8	Assembled	FULL EQUIPMENT				15900	15,900 Kgs	ONE NO. SEMI LOW BED TRIPLE AXLE 40 FT TRAILER	Palakkad/Bangalore/Mysore/ KGF	1	2600
127	TATRA 8x8	Assembled	TATRA 8 X 8 MAST 17 Mtr - without super structure	10280	2500	3278	13,100±5 % (curb wt)		SEMILOW BED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	1	2600
128	TATRA 8x8	Assembled	TATRA 8 X 8 MAST 17 Mtr - with super structure	10280	2500	3278	GVW - 28,000		SEMILOW BED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	1	2600
129	TATRA ER 8x8	Assembled	TATRA ER 8X8 MAST	9280	2500	3690	15,200		SEMI LOW BED TRIPLE AXLE 40 FT TRAILER	Palakkad/Bangalore/Mysore/ KGF	1	2600
130	TATRA ER 8x8	Assembled	TATRA ER 8X8	9280	2500	3278	13,100		SEMI LOW BED TRIPLE AXLE 40 FT TRAILER	Palakkad/Bangalore/Mysore/ KGF	75	150000

131	TATRA ER 8x8 CPV	Assembled	TATRA 8X8 CPV	9280	2500	3678±30	18,000		SEMI LOWBED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	1	2600
132	TATRA ER 8x8 CPV	Assembled	TATRA 8X8 CPV	9280	2500	3678±30	28,000		LOWBED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	1	2600
133	TATRA ER 8x8 THALES	Assembled	TATRA 8X8 THALES	10280	2500	3278	15,900		SEMI LOWBED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	1	2600
134	TATRA ET 8x8	Assembled	TATRA ET 8 X8 VP 13S	9410	2500		13,100 (curb wt)		LOWBED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	1	2600
135	TATRA ET 8x8	Assembled	TATRA ET 8 X8 VP 13S WITH CRANE MC	9410	2500		GVW - 36,000 with crane		LOWBED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	1	2600
136	TATRA ET 8x8	Assembled	TATRA ET 8 X8 VP 13S	10335	2500	3165	14,400		SEMI LOWBED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	1	2600
137	TATRA ET 8x8	Assembled	TATRA ET 8 X8	9340	2500	3690	15,500		SEMI LOWBED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	100	260000
138	TATRA ER L 8x8	Assembled	TATRA ER L 8X 8 BDL	10930	2500	3278±30	13,500 (curb wt)		SEMILOW BED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	3	3000
139	TATRA ER L 8x8	Assembled	TATRA ER L 8 X 8	10930	2500	3308	10 (curb wt)		SEMILOW BED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	10	26000
140	TATRA ER L 8x8	Assembled	TATRA ER L 8 X 8 BEL GAHZIABAD	11830	2500	3308	10 (curb wt)		SEMILOW BED TRAILER 40 FT	Palakkad/Bangalore/Mysore/ KGF	1	2600
141	TATRA 10x10	Assembled	TATRA 10 X 10 BDL	13900	2512	3150	18,100 (curb wt)		SEMILOW BED TRAILER 50 FT	Palakkad/Bangalore/Mysore/ KGF	1	1000
142	TATRA 10x10	Assembled	TATRA 10 X 10 BDL	13900	2512	3150	18,100 (curb wt)		LOW BED TRAILER 50 FT	Palakkad/Bangalore/Mysore/ KGF	1	2600
143	TATRA ET 12x12 MAL	Assembled	TATRA ET 12 X 12 MAL	14030	2500	3100	18,900	18900Kgs	SEMILOW BED TRAILER 50 FT	Palakkad/Bangalore/Mysore/ KGF	1	1000

144	TATRA ET 12x12 MAL	Assembled	TATRA ET 12 X 12 MAL	14030	2500	3100	18,900	18900Kgs	LOW BED TRAILER 50 FT	Palakkad/B angalore/M ysore/ KGF	1	2600
145	TATRA ET 12x12	Assembled	TATRA ET 12 X 12	14030	2500	3100	18,900 (curb wt)		SEMILOW BED TRAILER 50 FT	Palakkad/B angalore/M ysore/ KGF	5	5000
146	TATRA ET 12x12	Assembled	TATRA ET 12 X 12 WITH CRANE MRV	14030	2500		GVW - 52,000 with crane		LOWBED TRAILER 50 FT	Palakkad/B angalore/M ysore/ KGF	1	2600
147	SARVATRA	Assembled	SARVATRA Tatra Truck	10500	2500	3091	13,600±5 % (curb wt)		SEMI LOW BED TRAILER 40 FT	Palakkad/B angalore/M ysore/ KGF	1	2600
148	SARVATRA ERL 8x8	Assembled	SARVATRA Tatra Truck	10860	2500	4780	32000		FLAT LOWBED TRAILER WITH MINIMUM 40 FT LOADING AREA	Palakkad/B angalore/M ysore/ KGF	1	2600
149	TATRA MAST	Assembled	FULL EQPT.	10500	2500	4000	23500	23,500 Kgs	ONE NO. SEMI LOW BED TRAILER	Palakkad/B angalore/M ysore/ KGF	1	2600
150	20 T TRAILER	Assembled	20 T TRAILER	12800	3100	2260	13,000		SEMILOW BED TRAILER 40 FT	Palakkad/B angalore/M ysore/ KGF	1	2600
151	TATRA FOR APC	Assembled	FULL EQPT.	6650	2500	2750	15,500		SEMILOW BED TRAILER 40 FT	Palakkad/B angalore/M ysore/ KGF	1	2600
152	SARVATRA	Assembled	SARVATRA Tatra Truck	10500	2500	4000	13,600±5 % (curb wt)		LOWBED TRAILER 40 FT	Palakkad/B angalore/M ysore/ KGF	1	2600
153	SARVATRA BRIDGE SYSTEM	Dismantled	SARVATRA-BASIS VEHICLE	11130 ± 30	3130 ± 25	3215 ± 25	23500		SEMI LOW BED TRIPLE AXLE 40 FT TRAILER	Palakkad/B angalore/M ysore/ KGF	35	91000
154	SARVATRA-BASIS VEHICLE	Assembled	SARVATRA-BASIS VEHICLE	11130 ± 30	3130 ± 25	3215 ± 25	23500		SEMI LOW BED TRIPLE AXLE 40 FT TRAILER	Palakkad/B angalore/M ysore/ KGF	1	2600
155	SARVATRA BRIDGE SYSTEM	Assembled	SARVATRA BRIDGE SYSTEM	8700 ± 30	3500 ± 25	2470 ± 25	10500		SEMI LOW BED 40 FT TRAILER (TO SUIT EQPT.WEIGHT RTO REQUIREMENT)	Palakkad/B angalore/M ysore/ KGF	1	2600
156	TATRA ERL 8x8 (PINAKA LCR)	Assembled	TATRA ERL 8x8 (PINAKA LCR) WITH CRANE	11130 ± 30	2500	3145 ± 30	GVW - 34,000 with crane		LOW BED TRAILER 50 FT	Palakkad/B angalore/M ysore/ KGF	7	18200